



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended December 31, 1910—Continued

Cities	Population, United States census, 1910	Total deaths from all causes	Diphtheria		Measles		Scarlet fever		Smallpox		Tuberculosis		Typhoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
<i>Cities under 25,000 inhabitants—Continued.</i>														
Montclair, N. J.	21,550	9	1	—	—	—	—	2	—	—	1	1	—	—
Morristown, N. J.	12,507	8	2	2	1	—	—	3	—	—	—	—	—	—
Nanticoke, Pa.	18,877	7	1	—	—	—	—	—	—	—	—	—	—	—
Newburyport, Mass.	14,949	6	2	—	—	—	—	—	—	—	—	—	—	1
North Adams, Mass.	22,019	3	1	—	7	—	—	—	—	—	—	—	—	—
Northampton, Mass.	19,431	8	—	—	—	—	—	—	—	—	—	2	—	—
Ottumwa, Iowa	22,012	9	—	—	—	—	—	2	—	—	—	—	—	—
Paducah, Ky.	22,760	—	—	—	—	—	—	—	—	—	—	—	—	—
Palmer, Mass.	—	5	—	—	—	—	—	—	—	—	—	—	—	—
Peekskill, N. Y.	—	7	—	—	—	—	—	—	—	—	—	—	—	—
Plainfield, N. J.	20,550	4	1	—	2	—	—	—	—	—	—	5	—	—
Portsmouth, N. H.	—	—	1	—	2	—	—	—	—	—	—	—	—	—
Pottstown, Pa.	15,599	7	—	—	—	—	—	5	—	—	—	—	—	—
Rock Island, Ill.	—	9	—	—	—	—	—	1	—	—	—	—	—	2
Rutland, Vt.	13,546	—	—	—	—	—	—	1	—	—	—	—	—	—
Saratoga Springs, N. Y.	—	4	—	—	—	—	—	—	—	—	—	2	—	—
South Bethlehem, Pa.	19,973	11	—	—	1	—	—	—	—	—	—	1	—	—
Steelton, Pa.	14,246	4	1	—	—	—	—	—	—	—	—	3	—	—
Warren, Ohio	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wilkinsburg, Pa.	18,924	8	—	—	—	—	—	—	—	—	—	2	—	1
Woburn, Mass.	15,308	8	—	—	—	—	—	3	—	—	—	—	—	3
Zanesville, Ohio	—	6	1	—	—	—	—	—	—	—	—	—	—	—

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

CONNECTICUT—*Stamford*.—Month of December, 1910. Population, 26,000. Total number of deaths from all causes not reported. Cases reported: Typhoid fever 3, measles 46, scarlet fever 2.

FLORIDA.—Week ended December 31, 1910. Reports from the State Board of Health show typhoid fever present in 2 localities (Pensacola and Tampa) with 7 cases, smallpox in 7 counties (Dade, Hillsborough, Jackson, Leon, Madison, Polk, and Walton) with 49 cases, diphtheria in 7 localities with 8 cases, malaria in 3 localities (Tampa, Plant City, Ybor City) with 17 cases, tuberculosis in 4 localities with 6 cases.

INDIANA—*Muncie*.—Month of December, 1910. Population, 24,005. Total number of deaths from all causes 24, including tuberculosis 4. Cases reported: Typhoid fever 5, measles 2, scarlet fever 12, diphtheria 2.

MICHIGAN.—Month of November, 1910. Population, 2,810,173. Total number of deaths from all causes 3,057, including typhoid fever 80, smallpox 53, measles 8, scarlet fever 24, diphtheria 55, tuberculosis 189. Cases reported: Typhoid fever 270 in 105 localities, smallpox 321 in 57 localities, measles 397 in 21 localities, scarlet fever 439 in 94 localities, diphtheria 295 in 60 localities, tuberculosis 108 cases.

NEBRASKA—*South Omaha*.—Month of December, 1910. Population, 35,000. Total number of deaths from all causes 25, including tuberculosis 2. Cases reported: Scarlet fever 2, diphtheria 3, tuberculosis 2.

NEW YORK—*Rochester*.—Month of November, 1910. Population, 190,000. Total number of deaths from all causes 240, including typhoid fever 7, diphtheria 3, tuberculosis 26. Cases reported: Typhoid fever 29, measles 32, scarlet fever 26, diphtheria 15.

Rome.—Month of December, 1910. Population, 20,400. Total number of deaths from all causes 36, including diphtheria 2, tuberculosis 5. Cases reported: Typhoid fever 5, measles 4, scarlet fever 2, diphtheria 17, tuberculosis 2.

OHIO—*Youngstown*.—December 15–31, 1910. Population, 79,066. Total number of deaths from all causes 42, including typhoid fever 2, scarlet fever 1. Cases reported: Typhoid fever 3, scarlet fever 5, diphtheria 7.

TEXAS—*Fort Worth*.—Month of December, 1910. Population, 60,000. Total number of deaths from all causes 104, including typhoid fever 4, tuberculosis 5. Cases reported: Typhoid fever 9, measles 6, scarlet fever 2, diphtheria 8, tuberculosis 7.